

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Eucalyptus Radiata

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF

TELEPHONE: +44 (0)117-9087770.

PRODUCT NUMBER: **145**CAS NUMBER: 92201-64-4
EC NUMBER: 295-995-3

IDENTIFIED USES: Concentrated material for manufacturing purposes only.

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

- PHYSICAL HAZARDS: Flam. Liq. 3 - H226 - HEALTH HAZARDS: Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Asp. Tox. 1 - H304

- ENVIRONMENTAL HAZARDS: Aquatic Chronic 2 - H411

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: DANGER

HAZARD STATEMENTS: H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.



PRECAUTIONARY STATEMENTS: P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.
P261 Avoid breathing vapour/spray.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

SUPPLEMENTARY PRECAUTIONARY

P233 Keep container tightly closed.

STATEMENTS:

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P321 Specific treatment (see medical advice on this label).

P331 Do NOT induce vomiting.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical

advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or

water fog to extinguish. P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with national

regulations.

CONTAINS: PIN-2(3)-ENE (ALPHA-PINENES), PIN-2(10)-ENE (BETA-PINENES),

LIMONENE, p-CYMENE

3: COMPOSITION/INFORMATION ON INGREDIENTS

10-30% ALPHA-TERPINEOL

CAS number: 10482-56-1 EC number: 233-986-8
Classification Skin Irrit. 2 - H315
Eye Irrit. 2 - H319

5-10% LINALOOL

CAS number: 78-70-6 EC number: 201-134-4
Classification Skin Irrit. 2 - H315
Eye Irrit. 2 - H319

SDS: 145 Eucalyptus Oil Radiata



essential oils, skincare & aromatherapy products	
5-10% PIN-2(3)-ENE (ALPHA-PINENES)	
CAS number: 80-56-8	EC number: 201-291-9
Classification	Skin Irrit. 2 - H315
	Skin Sens. 1B - H317
	Asp. Tox. 1 - H304
5-10% LIMONENE	
CAS number: 138-86-3	EC number: 205-341-0
M factor (Acute)	1
M factor (Chronic)	1
Classification	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Asp. Tox. 1 - H304
	Aquatic Acute 1 - H400
	Aquatic Chronic 1 - H410
5-10% PIN-2(10)-ENE (BETA-PINENES)	
CAS number: 127-91-3	EC number: 204-872-5
M factor (Acute)	1
M factor (Chronic)	1
Classification	Flam. Lig. 3 - H226
	Skin Irrit. 2 - H315
	Skin Sens. 1B - H317
	Asp. Tox. 1 - H304
	Aquatic Acute 1 - H400
	Aquatic Chronic 1 - H410
1-5% 4-TERPINEOL	
CAS number: 562-74-3	EC number: 209-235-5
Classification	Acute Tox. 4 - H302
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
1-5% p-CYMENE	
CAS number: 99-87-6	EC number: 202-796-7
Classification	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Asp. Tox. 1 - H304
	Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.



4: FIRST AID MEASURES

Move affected person to fresh air at once. Get medical attention if INHALATION:

any discomfort continues.

INGESTION: Rinse mouth thoroughly with water. Give plenty of water to drink.

Get medical attention immediately.

SKIN CONTACT: Remove contaminated clothing immediately and wash skin with soap

and water. Get medical attention if symptoms are severe or persist

after washing.

EYE CONTACT: Remove any contact lenses and open eyelids wide apart. Rinse

immediately with plenty of water. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

GENERAL INFORMATION: Persons suffering from asthma, eczema or skin problems should avoid

contact, including dermal contact, with this product. See Section 11

for additional information on health hazards.

NOTES FOR THE DOCTOR: No specific recommendations.

5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA RECOMMENDED: Extinguish with the following media: Foam, carbon dioxide or dry

powder.

Unsuitable extinguishing media: Water.

SPECIFIC HAZARDS: Toxic gases or vapours.

PROTECTIVE ACTIONS DURING FIREFIGHTING: Containers close to fire should be removed or cooled with water.

Wear positive-pressure self-contained breathing apparatus (SCBA) SPECIAL PROTECTIVE EQUIPMENT FOR

FIREFIGHTERS: and appropriate protective clothing.

6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Wear suitable protective equipment, including gloves, goggles/face

> shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground.

CLEANING UP METHODS FOR SPILLAGES: Keep combustible materials away from spillage. Eliminate all sources

of ignition. Provide adequate ventilation. Contain and absorb spillage

with sand, earth or other non-combustible material. The

contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and

seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as

possible. Wash thoroughly after dealing with a spillage.

7: HANDLING AND STORAGE

ENVIRONMENT PRECAUTIONS:

USAGE PRECAUTIONS: Wear protective clothing as described in Section 8 of this safety

data sheet. Avoid contact with skin, eyes and clothing.

Do not eat, drink or smoke when using this product. Wash at the OCCUPATIONAL HYGIENE:

end of each work shift and before eating, smoking and using the

toilet.

STORAGE PRECAUTIONS: Store in tightly-closed, original container in a dry, cool and well-

ventilated place. Keep away from heat, sparks and open flame.

Protect from freezing and direct sunlight.

SDS: 145 Eucalyptus Oil Radiata



8: EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation.

Eye/FACE PROTECTION: Eyewear complying with an approved standard should be worn if a

risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

HAND PROTECTION: Chemical-resistant, impervious gloves complying with an approved

standard should be worn if a risk assessment indicates skin contact

is possible.

OTHER SKIN AND BODY PROTECTION: Wear appropriate clothing to prevent any possibility of skin

contact. Wear apron or protective clothing in case of contact.

HYGIENE MEASURES: No specific hygiene procedures recommended but good personal

hygiene practices should always be observed when working with

chemical products.

RESPIRATORY PROTECTION: No specific recommendations. Respiratory protection may be

required if excessive airborne contamination occurs.

ENVIRONMENTAL EXPOSURE CONTROLS: Residues and empty containers should be taken care of as

hazardous waste according to local and national provisions.

9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid.

COLOUR: Colourless to pale yellow.

ODOUR: Characteristic.

FLASH POINT °C: 51° C SPECIFIC GRAVITY @ 20° C: ~ 0.915 REFRACTIVE INDEX @ 20° C: ~ 1.465

10: STABILITY AND REACTIVITY

Stable at normal ambient temperatures

POSSIBILITY OF HAZARDOUS REACTIONS: Will not polymerise.

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition.

MATERIALS TO AVOID: Strong oxidising agents. Strong acids. Strong alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition or combustion may liberate carbon oxides

and other toxic gases or vapours.



11: TOXICOLOGICAL INFORMATION

EYE CONTACT: Causes serious eye irritation.

SKIN CONTACT: Causes skin irritation. May cause sensitisation by skin contact.

INGESTION: May be fatal if swallowed and enters airways.

ATE ORAL (MG/KG) 65,000.0

TOXICOLOGICAL INFORMATION ON INGREDIENTS.

4-TERPINEOL

ACUTE TOXICITY - ORAL

Acute toxicity oral (LD $_{50}$ mg/kg): 1,300.0 Species: Rat ATE oral (mg/kg): 1,300.0

ACUTE TOXICITY - DERMAL

Acute toxicity dermal (LD $_{50}$ mg/kg): 2,500.0 Species: Rabbit ATE dermal (mg/kg): 2,500.0

12: ECOLOGICAL INFORMATION

ECOTOXICITY: Toxic to aquatic life with long lasting effects.

Persistence and degradability: The product is expected to be biodegradable.

BIOACCUMULATIVE POTENTIAL: The product does not contain any substances expected to be

bioaccumulating.

MOBILITY IN SOIL: The product is insoluble in water.

RESULTS OF PBT AND VPVB ASSESSMENT: This product does not contain any substances classified as PBT or

vPvB.

ECOLOGICAL INFORMATION ON INGREDIENTS.

LIMONENE

ACUTE AQUATIC TOXICITY

LE(C)₅₀: $0.1 < L(E)C50 \le 1$

M factor (Acute):

CHRONIC AQUATIC TOXICITY

M factor (Chronic):

PIN-2(10)-ENE (BETA-PINENES)

ACUTE AQUATIC TOXICITY

LE(C)₅₀: $0.1 < L(E)C50 \le 1$

M factor (Acute):

CHRONIC AQUATIC TOXICITY

M factor (Chronic):

13: DISPOSAL CONSIDERATIONS

Disposal METHODS: Dispose of waste product or used containers in accordance with

local regulations



14: TRANSPORT INFORMATION

UN NUMBER

- UN No. 1169

(ADR/RID/IMDG/ICAO/ADN):

PROPER SHIPPING NAME:

PROPER SHIPPING NAME
 EXTRACTS, AROMATIC, LIQUID

(ADR/RID):

PROPER SHIPPING NAME (IMDG): EXTRACTS, AROMATIC, LIQUID
 PROPER SHIPPING NAME (ICAO): EXTRACTS, AROMATIC, LIQUID
 PROPER SHIPPING NAME (ADN): EXTRACTS, AROMATIC, LIQUID

TRANSPORT HAZARD CLASS(ES):

ADR/RID/ADN CLASS: 3ADR/RID/ADN CLASSIFICATION F1

CODE:

- ADR/RID LABEL: 3
- IMDG CLASS: 3
- ICAO CLASS/DIVISION: 3
- ADN CLASS: 3

PACKING GROUP:

- ADR/RID/ADN PACKING GROUP: III
- IMDG PACKING GROUP: III
- ADN PACKING GROUP: III
- ICAO PACKING GROUP: III

ENVIRONMENTAL HAZARDS: Environmentally hazardous

substance/marine pollutant

Not applicable.



TRANSPORT IN BULK ACCORDING TO ANNEX II

OF MARPOL73/78 AND THE IBC CODE:

SPECIAL PRECAUTIONS FOR USER

EMS: F-E, S-D
ADR TRANSPORT CATEGORY: 3
EMERGENCY ACTION CODE: 3Y
HAZARD IDENTIFICATION NUMBER 30

(ADR/RID):

TUNNEL RESTRICTION CODE: (D/E)

15: REGULATORY INFORMATION

EU LEGISLATION: Regulation (EC) No 1272/2008 of the European Parliament and of

the Council of 16 December 2008 on classification, labelling and

packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as

amended).

GUIDANCE: Workplace Exposure Limits EH40.





16: OTHER INFORMATION

KEY LITERATURE REFERENCES AND SOURCES FOR DATA

European Chemicals Agency, http://echa.europa.eu/

HAZARD STATEMENTS IN FULL

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.