

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Calendula Absolute SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 OAF TELEPHONE: +44 (0)117-9087770. PRODUCT NUMBER: 212 CAS NUMBER: 84776-23-8 EC NUMBER: 283-949-5 INCI: Calendula officinalis

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CAS: 84776-23-8

EC: 283-949-5

Not classified

Skin Sens. 1 - H317

Aquatic Chronic 2 - H411

CLASSIFICATION (EC 1272/2008):

- PHYSICAL HAZARDS:
- HEALTH HAZARDS: Skin Irrit. 2 H315
- ENVIRONMENTAL HAZARDS:

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: HAZARD STATEMENTS:

PRECAUTIONARY STATEMENTS:

WARNING
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.
H315 Causes skin irritation.
P261 Avoid breathing vapour/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with national regulations.



P264 Wash contaminated skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the
workplace.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
CITRONELLAL, CITRONELLOL, COUMARIN, EUGENOL, GERANIOL

<u>3: COMPOSITION/INFORMATION ON INGREDIENTS</u></u>

1 - 5% GERANIOL		
CAS NUMBER: 106-24-1	EC NUMBER: 203-377-1	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Eye Dam. 1 - H318	
	Skin Sens. 1 - H317	
1 - 5% EUGENOL		
CAS NUMBER: 97-53-0	EC NUMBER: 202-589-1	
CLASSIFICATION (EC 1272/2008):	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
1 - 5% PHYTOL		
CAS NUMBER: 150-86-7	EC NUMBER: 205-776-6	
M FACTOR (ACUTE) = 1	M FACTOR (CHRONIC) = 1	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Aquatic Acute 1 - H400	
	Aquatic Chronic 1 - H410	
1 - 5% PHENYLETHYL ALCOHOL		
CAS NUMBER: 60-12-8	EC NUMBER: 200-456-2	
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302	
	Eye Irrit. 2 - H319	
1 - 5% CITRONELLAL		
CAS NUMBER: 106-23-0	EC NUMBER: 203-376-6	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
	Skin Sens. 1 - H317	
1 - 5% COUMARIN		
CAS NUMBER: 91-64-5	EC NUMBER: 202-086-7	
CLASSIFICATION (EC 1272/2008):	Acute Tox. 3 - H301	
	Skin Sens. 1B - H317	
1 - 5% CITRONELLOL		
CAS NUMBER: 106-22-9	EC NUMBER: 203-375-0	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
	Aquatic Chronic 2 - H411	

SDS: 212 Calendula Absolute

Compiled by: Johndan Chilcott, Regulatory Affairs Officer - Approved by Woody Evans, Director– Date: 20/05/2019 - Version: 2



1 - 5% LINALOOL		
CAS NUMBER: 78-70-6	EC NUMBER: 201-134-4	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
1 - 5% TETRAMETHYL-1-HEXADECEN-3-	OL	
CAS NUMBER: 505-32-8	EC NUMBER: 208-008-8	
M FACTOR (ACUTE) = 1		
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Aquatic Acute 1 - H400	
	Aquatic Chronic 1 - H410	
<1% 1,2-DIMETHOXY-4-(2-PROPENYL)-	BENZENE (METHYLEUGENOL)	
CAS NUMBER: 93-15-2	EC NUMBER: 202-223-0	
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302	
	Muta. 2 - H341	
	Carc. 2 - H351	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SPECIAL PROTECTIVE EQUIPMENT FOR

FIREFIGHTERS:

4: FIRST AID MEASURES	
INHALATION:	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
INGESTION:	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
SKIN CONTACT:	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
EYE CONTACT:	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
GENERAL INFORMATION:	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.
NOTES FOR THE DOCTOR:	No specific recommendations.
5: FIREFIGHTING MEASURES	
EXTINGUISHING MEDIA RECOMMENDED:	Extinguish with the following media: Foam, carbon dioxide or dry powder.
UNSUITABLE EXTINGUISHING MEDIA:	Water.
SPECIFIC HAZARDS:	Toxic gases or vapours.
PROTECTIVE ACTIONS DURING FIREFIGHTING:	Containers close to fire should be removed or cooled with water.

and appropriate protective clothing.

Wear positive-pressure self-contained breathing apparatus (SCBA)



6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.	
ENVIRONMENT PRECAUTIONS:	Do not discharge into drains or watercourses or onto the ground.	
CLEANING UP METHODS FOR SPILLAGES:	Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.	
7: HANDLING AND STORAGE		
USAGE PRECAUTIONS:	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.	
OCCUPATIONAL HYGIENE:	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.	
STORAGE PRECAUTIONS:	Store in tightly-closed, original container in a dry, cool and well- ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.	

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:	
APPROPRIATE ENGINEERING CONTROLS:	Provide adequate ventilatio
Eye/face protection:	Eyewear complying with an risk assessment indicates ey protection should be worn:
HAND PROTECTION:	Chemical-resistant, impervie standard should be worn if a is possible.
OTHER SKIN AND BODY PROTECTION:	Wear appropriate clothing t contact. Wear apron or prot
Hygiene measures:	No specific hygiene procedu hygiene practices should alv chemical products.
RESPIRATORY PROTECTION:	No specific recommendation required if excessive airborr
ENVIRONMENTAL EXPOSURE CONTROLS:	Residues and empty contair hazardous waste according

on.

n approved standard should be worn if a eye contact is possible. The following Chemical splash goggles or face shield. ious gloves complying with an approved a risk assessment indicates skin contact

to prevent any possibility of skin otective clothing in case of contact. ures recommended but good personal lways be observed when working with

ons. Respiratory protection may be rne contamination occurs. iners should be taken care of as to local and national provisions.



9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Liquid.
COLOUR:	Dark brown to orange.
Odour:	Characteristic.
Flash Point °C:	>100 [°] C
SPECIFIC GRAVITY @ 20°C:	~0.967
Refractive index @ 20°C:	~1.492

10: STABILITY AND REACTIVITY

STABILITY:	Stable at normal ambient temperatures.
Possibility of hazardous reactions:	Will not polymerise.
CONDITIONS TO AVOID:	Avoid heat, flames and other sources of ignition.
MATERIALS TO AVOID:	Strong oxidising agents. Strong acids. Strong alkalis.
HAZARDOUS DECOMPOSITION PRODUCTS:	Thermal decomposition or combustion may liberate carbon oxides
	and other toxic gases or vapours.

11: TOXICOLOGICAL INFORMATION

5,055.68
Causes skin irritation. May cause sensitisation by skin contact.
S
1,603.3
Rat
1,603.3
Toxic to aquatic life with long lasting effects.
$0.1 < L(E)C50 \le 1$
1
1
0.1 < L(E)C50 ≤ 1
1
0.01 < NOEC ≤ 0.1
Rapidly degradable



PERSISTENCE AND DEGRADABILITY:	The product is expected to be biodegradable.
BIOACCUMULATIVE POTENTIAL:	The product does not contain any substances expected to be
	bioaccumulating.
MOBILITY IN SOIL:	The product is insoluble in water.
RESULTS OF PBT AND VPVB ASSESSMENT:	This product does not contain any substances classified as PBT or
	vPvB.
13: DISPOSAL CONSIDERATIONS	
DISPOSAL METHODS:	Dispose of waste product or used containers in accordance with
	local regulations

14: TRANSPORT INFORMATION

UN No. (ADR/RID/IMDG/ICAO/ADN):	3082
PROPER SHIPPING NAME	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(ADR/RID/IMDG/ICAO/ADN):	(CONTAINS PHYTOL, TETRAMETHYL-1-HEXADECEN-3-OL)

TRANSPORT HAZARD CLASS(ES):

-	ADR/RID CLASS:	9
-	ADR/RID CLASSIFICATION CODE:	M6
-	ADR/RID LABEL:	9
-	IMDG CLASS:	9
-	ICAO CLASS/DIVISION:	9
-	ADN CLASS:	9
PACKING	GROUP (ADR/RID/IMDG/ADN/	
ICAO):		111



Environmentally hazardous substance/marine pollutant



SPECIAL PRECAUTIONS FOR USER

ENVIRONMENTAL HAZARDS:

- EмS:

- ADR TRANSPORT CATEGORY: 3
- **EMERGENCY ACTION CODE:** -•3Z
- -HAZARD IDENTIFICATION NUMBER: 90 (E)
- TUNNEL RESTRICTION CODE:

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:

Not applicable.

F-A, S-F.



15: REGULATORY INFORMATION	
EU LEGISLATION:	Regulation (EC) No 1272/2008 of the European Parliament and of
	the Council of 16 December 2008 on classification, labelling and
	packaging of substances and mixtures (as amended).
	Regulation (EC) No 1907/2006 of the European Parliament and of
	the Council of 18 December 2006 concerning the Registration,
	Evaluation, Authorisation and Restriction of Chemicals (REACH) (as
	amended).
GUIDANCE:	Workplace Exposure Limits EH40.

16: OTHER INFORMATION

HAZARD STATEMENTS IN FULL:

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.