

essential oils, skincare & aromatherapy products SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: **Carnation Fragrance** SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 OAF TELEPHONE: +44 (0)117-9087770. PRODUCT NUMBER: **336** IDENTIFIED USES: Concentrated material for manufacturing purposes only.

2: HAZARDS IDENTIFICATION


CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

-	PHYSICAL HAZARDS:	Not Classified

- HEALTH HAZARDS: Eye Irrit. 2 H319 Skin Sens. 1 - H317
- ENVIRONMENTAL HAZARDS: Aquatic Chronic 2 H411

LABEL ELEMENTS





SUPPLEMENTARY PRECAUTIONARY	P261 Avoid breathing vapour/spray.
STATEMENTS:	P264 Wash contaminated skin thoroughly after handling.
	P272 Contaminated work clothing should not be allowed out of the workplace.
	P321 Specific treatment (see medical advice on this label).
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P391 Collect spillage.
	P501 Dispose of contents/container in accordance with national regulations.
CONTAINS:	EUGENOL, ISOEUGENOL , BUTYLPHENYL METHYLPROPIONAL,
	CYCLAMEN ALDEHYDE, PHENYLACETALDEHYDE, AMYL CINNAMAL

5-10% PHENYLETHYL ALCOHOL	
CAS number: 60-12-8	EC number: 200-456-2
Classification:	Acute Tox. 4 - H302
	Eye Irrit. 2 - H319
5-10% EUGENOL	
CAS number: 97-53-0	EC number: 202-589-1
Classification:	Eye Irrit. 2 - H319
	Skin Sens. 1B - H317
1-5% LINALOOL	
CAS number: 78-70-6	EC number: 201-134-4
Classification:	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
1-5% ISOEUGENOL	
CAS number: 97-54-1	EC number: 202-590-7
Classification:	Acute Tox. 4 - H302
	Acute Tox. 4 - H312
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Skin Sens. 1A - H317
1-5% AMYL SALICYLATE	
CAS number: 2050-08-0	EC number: 218-080-2
M factor (Acute):	1
M factor (Chronic):	1
Classification:	Acute Tox. 4 - H302
	Aquatic Acute 1 - H400
	Aquatic Chronic 1 - H410
1-5% BUTYLPHENYL METHYLPROPIONAL	
CAS number: 80-54-6	EC number: 201-289-8
Classification:	Acute Tox. 4 - H302
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Repr. 2 - H361
	Aquatic Chronic 2 - H411

<u>3: COMPOSITION/INFORMATION ON INGREDIENTS</u>

SDS: 336 Carnation Fragrance

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs – Date: 01/08/2019 Version: 3



EC number: 203-161-7
Skin Irrit. 2 - H315
Skin Sens. 1B - H317
Aquatic Chronic 3 - H412
EC number: 204-574-5
Acute Tox. 4 - H302
Skin Sens. 1B - H317
EC number: 204-541-5
Skin Sens. 1B - H317
Aquatic Chronic 2 - H411
EC number: 214-946-9
1
1
Aquatic Acute 1 - H400
Aquatic Chronic 1 - H410

The Full Text for all Hazard Statements are Displayed in Section 16.

4: FIRST AID MEASURES

INHALATION:	Move affected person to fresh air at once. Get medical attention if
	any discomfort continues.
INGESTION:	Rinse mouth thoroughly with water. Give plenty of water to drink.
	Get medical attention immediately.
SKIN CONTACT:	Remove contaminated clothing immediately and wash skin with soap
	and water. Get medical attention if symptoms are severe or persist
	after washing.
EYE CONTACT:	Remove any contact lenses and open eyelids wide apart. Rinse
	immediately with plenty of water. Continue to rinse for at least 15
	minutes. Get medical attention if any discomfort continues.
GENERAL INFORMATION:	Persons suffering from asthma, eczema or skin problems should avoid
	contact, including dermal contact, with this product. See Section 11
	for additional information on health hazards.
NOTES FOR THE DOCTOR:	No specific recommendations.
5: FIREFIGHTING MEASURES	
EXTINGUISHING MEDIA RECOMMENDED:	Foam, carbon dioxide or dry powder.
UNSUITABLE EXTINGUISHING MEDIA:	Water
SPECIFIC HAZARDS:	Toxic gases or vapours.

ADVICE FOR FIREFIGHTERS

- PROTECTIVE ACTIONS DURING Containers close to fire should be removed or cooled with water.
- SPECIAL PROTECTIVE EQUIPMENT Wear positive-pressure self-contained breathing apparatus (SCBA) FOR FIREFIGHTERS and appropriate protective clothing.



6: ACCIDENTAL RELEASE MEASURES PERSONAL PRECAUTIONS: Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. **ENVIRONMENT PRECAUTIONS:** Do not discharge into drains or watercourses or onto the ground. CLEANING UP METHODS FOR SPILLAGES: Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage. 7: HANDLING AND STORAGE **USAGE PRECAUTIONS:** Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing. **OCCUPATIONAL HYGIENE:** Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. **STORAGE PRECAUTIONS:** Store in tightly-closed, original container in a dry, cool and wellventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION			
PROTECTIVE EQUIPMENT:			
APPROPRIATE ENGINEERING CONTROLS:	Provide adequate ventilation.		
EYE/FACE PROTECTION:	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.		
HAND PROTECTION:	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.		
OTHER SKIN AND BODY PROTECTION:	Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.		
Hygiene measures:	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.		
R ESPIRATORY PROTECTION:	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.		
ENVIRONMENTAL EXPOSURE CONTROLS:	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.		

SDS: 336 Carnation Fragrance Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs - Date: 01/08/2019 Version: 3 Page 4 of 8



9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Liquid.	
COLOUR:	Yellow to Green.	
Odour:	Characteristic.	
SPECIFIC GRAVITY @ 20°C:	~ 1.054	
Refractive index @ 20°C:	~ 1.486	
10: STABILITY AND REACTIVITY		

STABILITY:	Stable at normal ambient temperatures.
Possibility of hazardous reactions:	Will not polymerise.
CONDITIONS TO AVOID:	Avoid heat, flames and other sources of ignition.
MATERIALS TO AVOID:	Strong oxidising agents. Strong acids. Strong alkalis.
HAZARDOUS DECOMPOSITION PRODUCTS:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

11: TOXICOLOGICAL INFORMATION

EYE CONTACT:	Causes serious eye irritation.
SKIN CONTACT:	May cause an allergic skin reaction.
INGESTION:	Suspected of damaging fertility or the unborn child.

INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity - oral		
ATE oral (mg/kg):	11,089.79	
Acute toxicity - dermal		
ATE dermal (mg/kg):	84,444.44	

TOXICOLOGICAL INFORMATION ON INGREDIENTS.		
PHENYLETHYL ALCOHOL		
ACUTE TOXICITY - ORAL		
Acute toxicity oral (LD₅omg/kg):	1,603.3	
Species:	Rat	
ATE oral (mg/kg):	1,603.3	
ISOEUGENOL		
ACUTE TOXICITY - ORAL		
Acute toxicity oral (LD₅omg/kg):	1,410.0	
Species:	Guinea pig	
ATE oral (mg/kg):	1,410.0	
ACUTE TOXICITY - DERMAL		
ATE dermal (mg/kg):	1,900.0	
AMYL SALICYLATE		
ACUTE TOXICITY - ORAL		
Acute toxicity oral (LD₅omg/kg):	2,000.0	
Species:	Rat	
ATE oral (mg/kg):	2,000.0	

SDS: **336 Carnation Fragrance** Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs – Date: 01/08/2019 Version: 3



BUTYLPHENYL METHYLPROPIONAL	
ACUTE TOXICITY - ORAL	
Acute toxicity oral (LD₅omg/kg):	1,390.0
Species:	Rat
ATE oral (mg/kg):	1,390.0
12: ECOLOGICAL INFORMATION	
Εςοτοχιςιτη:	Toxic to aquatic life with long lasting effects.
PERSISTENCE AND DEGRADABILITY:	The product contains substances which are not expected to be

	biodegradable.
BIOACCUMULATIVE POTENTIAL:	The product does not contain any substances expected to be
	bioaccumulating.
MOBILITY IN SOIL:	The product is insoluble in water.
RESULTS OF PBT AND VPVB ASSESSMENT:	This product does not contain any substances classified as PBT or
	vPvB.

ECOLOGICAL INFORMATION ON INGREDIENTS

AMYL SALICYLATE		
ACUTE AQUATIC TOXICITY		
LE(C) ₅₀ :	0.1 < L(E)C50 ≤ 1	
M factor (Acute):	1	
CHRONIC AQUATIC TOXICITY		
M factor (Chronic):	1	

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:

Dispose of waste product or used containers in accordance with local regulations



3082

9 M6

Ш

Ш

Ш

Ш

14: TRANSPORT INFORMATION

UN No. (ADR/RID/IMDG/ICAO/ADN):		
PROPER SHIPPING NAME		
(ADR/RID/IMDG/ICAO/ADN):		
TRANSPORT HAZARD CLASS(ES):		
- ADR/RID/ADN CLASS:		
- ADR/RID/ADN CLASSIFICATION		
CODE:		
- ADR/RID LABEL:		
- IMDG CLASS:		
- ICAO CLASS/DIVISION:		
- ADN CLASS:		
PACKING GROUP:		

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS AMYL SALICYLATE, BUTYLPHENYL METHYLPROPIONAL)

-	ADR/RID/ADN PACKING GROUP:
---	----------------------------

- **IMDG PACKING GROUP:**
- ADN PACKING GROUP:
- ICAO PACKING GROUP:
- **ENVIRONMENTAL HAZARDS:**

Environmentally hazardous substance/marine pollutant

Not applicable.

F-A, S-F

3

•3Z

90

(E)



TRANSPORT IN BULK ACCORDING TO ANNEX II	
OF MARPOL73/78 AND THE IBC CODE:	
SPECIAL PRECAUTIONS FOR USER	

- **ADR TRANSPORT CATEGORY:**
 - **EMERGENCY ACTION CODE:**
- HAZARD IDENTIFICATION NUMBER (ADR/RID):
 - **TUNNEL RESTRICTION CODE:**

15: REGULATORY INFORMATION

EU LEGISLATION:

-

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Workplace Exposure Limits EH40.

GUIDANCE:



16: OTHER INFORMATION

Key LITERATURE REFERENCES AND SOURCES FOR DATA European Chemicals Agency, http://echa.europa.eu/

HAZARD STATEMENTS IN FULL
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.