

## SAFETY DATA SHEET

### 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: **Chinese Musk Fragrance** SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF TELEPHONE: +44 (0)117-9087770. PRODUCT NUMBER: **339** IDENTIFIED USES: Concentrated material for manufacturing purposes only.

### **2: HAZARDS IDENTIFICATION**

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

### CLASSIFICATION (EC 1272/2008):

-	PHYSICAL HAZARDS:	Not Classified
-	HEALTH HAZARDS:	Skin Irrit. 2 - H315
		Eye Irrit. 2 - H319
		Skin Sens. 1 - H317
		Repr. 2 - H361
-	ENVIRONMENTAL HAZARDS:	Aquatic Chronic 2 - H411

#### LABEL ELEMENTS



SIGNAL WORD:	WARNING
HAZARD STATEMENTS:	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.
	H361 Suspected of damaging fertility or the unborn child.
	H411 Toxic to aquatic life with long lasting effects.
PRECAUTIONARY STATEMENTS:	P264 Wash contaminated skin thoroughly after handling.
	P273 Avoid release to the environment.
	P280 Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P501 Dispose of contents/container in accordance with national
	regulations.



SUPPLEMENTARY PRECAUTIONARY	P201 Obtain special instructions before use.
STATEMENTS:	P202 Do not handle until all safety precautions have been read and understood.
	P261 Avoid breathing vapour/spray.
	P272 Contaminated work clothing should not be allowed out of the workplace.
	P308+P313 IF exposed or concerned: Get medical advice/attention.
	P321 Specific treatment (see medical advice on this label).
	P332+P313 If skin irritation occurs: Get medical advice/attention.
	P333+P313 If skin irritation or rash occurs: Get medical
	advice/attention.
	P337+P313 If eye irritation persists: Get medical advice/attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P391 Collect spillage.
	P405 Store locked up.
Contains:	BUTYLPHENYL METHYLPROPIONAL, HYDROXYCITRONELLAL, CITRONELLOL, UNDECYLENAL, ALPHA-DAMASCONE

#### **<u>3: COMPOSITION/INFORMATION ON INGREDIENTS</u></u>**

10-30% HEXAMETHYLINDANOPYRAN			
CAS NUMBER: 1222-05-5 EC NUMBER: 214-946-9			
M FACTOR (ACUTE) = 1	M FACTOR (CHRONIC) = 1		
CLASSIFICATION (EC 1272/2008): Aquatic Acute 1 - H400			
	Aquatic Chronic 1 - H410		
5-10% PHENYLETHYL ALCOHOL			
CAS NUMBER: 60-12-8 EC NUMBER: 200-456-2			
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302		
	Eye Irrit. 2 - H319		
1-5% BUTYLPHENYL METHYLPROPIONAL			
CAS NUMBER: 80-54-6	EC NUMBER: 201-289-8		
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302		
	Skin Irrit. 2 - H315		
	Skin Sens. 1 - H317		
	Repr. 2 - H361		
	Aquatic Chronic 2 - H411		
1-5% METHYL ANTHRANILATE			
CAS NUMBER: 134-20-3	EC NUMBER: 205-132-4		
CLASSIFICATION (EC 1272/2008):	Eye Irrit. 2 - H319		
1-5% HYDROXYCITRONELLAL			
CAS NUMBER: 107-75-5	EC NUMBER: 203-518-7		
CLASSIFICATION (EC 1272/2008):	Eye Irrit. 2 - H319		
	Skin Sens. 1B - H317		



1-5% CITRONELLOL		
CAS NUMBER: 106-22-9	106-22-9 EC NUMBER: 203-375-0	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
	Aquatic Chronic 2 - H411	
<1% BENZYL BENZOATE		
CAS NUMBER: 120-51-4	EC NUMBER: 204-402-9	
M FACTOR (ACUTE) = 1		
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302	
	Aquatic Acute 1 - H400	
	Aquatic Chronic 2 - H411	
<1% UNDECYLENAL		
CAS NUMBER: 112-45-8 EC NUMBER: 203-973-1		
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
	Aquatic Chronic 3 - H412	
<1% ALPHA-DAMASCONE		
CAS NUMBER: 23726-94-5	EC NUMBER: 245-845-8	
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302	
	Skin Sens. 1B - H317	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **4: FIRST AID MEASURES**

INHALATION:	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
INGESTION:	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
Skin contact:	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
Eye contact:	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
GENERAL INFORMATION:	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.
NOTES FOR THE DOCTOR:	No specific recommendations.



### **5: FIREFIGHTING MEASURES**

5: FIREFIGHTING MEASURES			
EXTINGUISHING MEDIA RECOMMENDED:	Foam, carbon dioxide or dry powder.		
UNSUITABLE EXTINGUISHING MEDIA:	Water		
SPECIFIC HAZARDS:	Toxic gases or vapours.		
Advice for firefighters			
<ul> <li>PROTECTIVE ACTIONS DURING FIREFIGHTING</li> </ul>	Containers close to fire should be removed or cooled with water.		
- SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.		
6: ACCIDENTAL RELEASE MEASURES			
PERSONAL PRECAUTIONS:	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.		
<b>ENVIRONMENT PRECAUTIONS:</b>	Do not discharge into drains or watercourses or onto the ground.		
CLEANING UP METHODS FOR SPILLAGES:	Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.		
7: HANDLING AND STORAGE			
USAGE PRECAUTIONS:	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.		
OCCUPATIONAL HYGIENE:	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.		
STORAGE PRECAUTIONS:	Store in tightly-closed, original container in a dry, cool and well- ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.		

#### 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



APPROPRIATE ENGINEERING CONTROLS: EYE/FACE PROTECTION:

HAND PROTECTION:

Provide adequate ventilation.

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

SDS: 339 Chinese Musk Fragrance

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director– Date: 04/07/2019 - Version: 2



OTHER SKIN AND BODY PROTECTION:	Wear appropriate clothing to prevent any possibility of skin	
	contact. Wear apron or protective clothing in case of contact.	
HYGIENE MEASURES:	No specific hygiene procedures recommended but good personal	
	hygiene practices should always be observed when working with	
	chemical products.	
<b>RESPIRATORY PROTECTION:</b>	No specific recommendations. Respiratory protection may be	
	required if excessive airborne contamination occurs.	
ENVIRONMENTAL EXPOSURE CONTROLS:	Residues and empty containers should be taken care of as	
	hazardous waste according to local and national provisions.	

#### **<u>9: PHYSICAL AND CHEMICAL PROPERTIES</u>**

Appearance:	Liquid.
COLOUR:	Yellow.
Odour:	Characteristic.
SPECIFIC GRAVITY @ 20°C:	0.999
Refractive index @ 20°C:	1.470

#### **10: STABILITY AND REACTIVITY**

Stable at normal ambient temperatures.	
Will not polymerise.	
Avoid heat, flames and other sources of ignition.	
Strong oxidising agents. Strong acids. Strong alkalis.	
Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	

#### **11: TOXICOLOGICAL INFORMATION**

ACUTE TOXICITY - ORAL		
- ATE ORAL (MG/KG):	16677.05	
SKIN CONTACT;	Causes skin irritation. May cause sensitisation by skin contact.	
EYE CONTACT:	Causes serious eye irritation.	
ACUTE AND CHRONIC HEALTH HAZARDS:	Suspected of damaging fertility or the unborn child.	

TOXICOLOGICAL INFORMATION ON INGREDIENTS		
PHENYLETHYL ALCOHOL		
ACUTE TOXICITY - ORAL		
ACUTE TOXICITY ORAL (LD50 MG/KG):	1603.3	
Species:	Rat	
ATE ORAL (MG/KG):	1603.3	
BUTYLPHENYL METHYLPROPIONAL		
ACUTE TOXICITY - ORAL		
ACUTE TOXICITY ORAL (LD50 MG/KG)	1390.0	
Species	Rat	
ATE ORAL (MG/KG)	1390.0	



12: ECOLOGICAL INFORMATION ECOTOXICITY:	Toxic to aquatic life with long lasting effects.	
_	Toxic to aquatic me with fong lasting cricets.	
ECOLOGICAL INFORMATION ON INGREDIENTS:		
<u>Acute aquatic toxicity</u> : LE(C)₅₀:	0.1 < L(E)C50 ≤ 1	
M FACTOR (ACUTE)	1	
CHRONIC AQUATIC TOXICITY:	-	
NOEC:	0.001 < NOEC ≤ 0.01	
DEGRADABILITY:	Rapidly degradable	
M FACTOR (CHRONIC):	1	
PERSISTENCE AND DEGRADABILITY:	The product contains substances which are not expected to be biodegradable.	
BIOACCUMULATIVE POTENTIAL:	The product does not contain any substances expected to be bioaccumulating.	
MOBILITY IN SOIL:	The product is insoluble in water.	
RESULTS OF PBT AND VPVB ASSESSMENT:	This product does not contain any substances classified as PBT or vPvB.	
13: DISPOSAL CONSIDERATIONS		
DISPOSAL METHODS:	Dispose of waste product or used containers in accordance with local regulations	
14: TRANSPORT INFORMATION		
UN No.:	3082	
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXAMETHYLINDANOPYRAN, BUTYLPHENYL METHYLPROPIONAL)	
TRANSPORT HAZARD CLASS(ES):		
- ADR/RID/ADN CLASS:	9	
- IMDG CLASS:	9	
- ADR/RID CLASSIFICATION CODE:	M6 9	
PACKING GROUP:	Ŵ	
- ADR/RID/ADN PACKING GROUP:	111	
- IMDG PACKING GROUP:	III	
- ICAO PACKING GROUP:	III	
Environmental Hazards:	Environmentally hazardous substance/marine pollutant	
	$\bigtriangledown$	



SPECIAL PRECAUTIONS FOR USER		
EMS:	F-A, S-F	
ADR TRANSPORT CATEGORY:	3	
EMERGENCY ACTION CODE:	•3Z	
HAZARD IDENTIFICATION NUMBER (ADR/RID):	90	
TUNNEL RESTRICTION CODE:	(E)	
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:	Not applicable.	

#### **15: REGULATORY INFORMATION**

15. RECOLATORT INTORNAL	
EU LEGISLATION:	Regulation (EC) No 1272/2008 of the European Parliament and of
	the Council of 16 December 2008 on classification, labelling and
	packaging of substances and mixtures (as amended).
	Regulation (EC) No 1907/2006 of the European Parliament and of
	the Council of 18 December 2006 concerning the Registration,
	Evaluation, Authorisation and Restriction of Chemicals (REACH) (as
	amended).
GUIDANCE:	Workplace Exposure Limits EH40.

### **16: OTHER INFORMATION**

#### Hazard statements in full

H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.