

### **SAFETY DATA SHEET**

### 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Hyacinth Fragrance

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF

TELEPHONE: +44 (0)117-9087770.

PRODUCT NUMBER: 351

IDENTIFIED USES: Concentrated material for manufacturing purposes only.

### 2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

### **CLASSIFICATION (EC 1272/2008):**

PHYSICAL HAZARDS: Not Classified
 HEALTH HAZARDS: Skin Irrit. 2 - H315
 Eye Irrit. 2 - H319

Skin Sens. 1 - H317 Repr. 2 - H361

- ENVIRONMENTAL HAZARDS: Aquatic Chronic 3 - H412

#### **LABEL ELEMENTS**

PICTOGRAM:



SIGNAL WORD: WARNING

HAZARD STATEMENTS: H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child. H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS: P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container in accordance with national

regulations.



SUPPLEMENTARY PRECAUTIONARY

P201 Obtain special instructions before use.

STATEMENTS:

P202 Do not handle until all safety precautions have been read and

understood.

P261 Avoid breathing vapour/spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical

advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

CONTAINS: HEXYL CINNAMAL, BUTYLPHENYL METHYLPROPIONAL, CITRONELLOL,

CINNAMYL ALCOHOL, HYDROXYCITRONELLAL, EUGENOL,

PHENYLACETALDEHYDE, ISOEUGENOL

### 3: COMPOSITION/INFORMATION ON INGREDIENTS

PHENYLETHYL ALCOHOL		10-30%
CAS number: 60-12-8	EC number: 200-456-2	
Classification	Acute Tox. 4 - H302	
	Eye Irrit. 2 - H319	
HEXYL CINNAMAL		5-10%
CAS number: 101-86-0	EC number: 202-983-3	
M factor (Acute)	1	
Classification	Skin Sens. 1B - H317	
	Aquatic Acute 1 - H400	
	Aquatic Chronic 2 - H411	
BUTYLPHENYL METHYLPROPIONAL		5-10%
CAS number: 80-54-6	EC number: 201-289-8	
Classification	Acute Tox. 4 - H302	
	Skin Irrit. 2 - H315	
	Skin Sens. 1 - H317	
	Repr. 2 - H361	
	Aquatic Chronic 2 - H411	
LINALOOL		1-5%
CAS number: 78-70-6	EC number: 201-134-4	
Classification	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
2-T-BUTYLCYCLOHEXYL ACETATE		1-5%
CAS number: 88-41-5	EC number: 283-493-7	
Classification	Aquatic Chronic 2 - H411	



CITRONELLOL		1-5%
CAS number: 106-22-9	EC number: 203-375-0	
Classification	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
	Aquatic Chronic 2 - H411	
CINNAMYL ALCOHOL		1-5%
CAS number: 104-54-1	EC number: 203-212-3	
Classification	Skin Sens. 1B - H317	
HYDROXYCITRONELLAL		1-5%
CAS number: 107-75-5	EC number: 203-518-7	
Classification	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
2-PROPENYL HEPTANOATE (ALLYI	L HEPTANOATE)	1-5%
CAS number: 142-19-8	EC number: 205-527-1	
M factor (Acute)	1	
Classification	Acute Tox. 3 - H301	
	Acute Tox. 3 - H311	
	Acute Tox. 3 - H331	
	Aquatic Acute 1 - H400	
	Aquatic Chronic 3 - H412	
EUGENOL		<1%
CAS number: 97-53-0	EC number: 202-589-1	
Classification	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
PHENYLACETALDEHYDE		<1%
CAS number: 122-78-1	EC number: 204-574-5	
Classification	Acute Tox. 4 - H302	
	Skin Sens. 1B - H317	
AMYL SALICYLATE		<1%
CAS number: 2050-08-0	EC number: 218-080-2	
M factor (Acute)	1	
M factor (Chronic)	1	
Classification	Acute Tox. 4 - H302	
	Aquatic Acute 1 - H400	
	Aquatic Chronic 1 - H410	
ISOEUGENOL		<1%
CAS number: 97-54-1	EC number: 202-590-7	
Classification	Acute Tox. 4 - H302	
	Acute Tox. 4 - H312	
	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
	Skin Sens. 1A - H317	

The Full Text for all Hazard Statements are Displayed in Section 16.



#### **4: FIRST AID MEASURES**

INHALATION: Move affected person to fresh air at once. Get medical attention if

any discomfort continues.

INGESTION: Rinse mouth thoroughly with water. Give plenty of water to drink.

Get medical attention immediately.

SKIN CONTACT: Remove contaminated clothing immediately and wash skin with soap

and water. Get medical attention if symptoms are severe or persist

after washing.

EYE CONTACT: Remove any contact lenses and open eyelids wide apart. Rinse

immediately with plenty of water. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

GENERAL INFORMATION: Persons suffering from asthma, eczema or skin problems should avoid

contact, including dermal contact, with this product. See Section 11

for additional information on health hazards.

NOTES FOR THE DOCTOR:

No specific recommendations.

### **5: FIREFIGHTING MEASURES**

EXTINGUISHING MEDIA RECOMMENDED: Foam, carbon dioxide or dry powder.

Unsuitable Extinguishing Media: Water

SPECIFIC HAZARDS: Toxic gases or vapours.

#### **ADVICE FOR FIREFIGHTERS**

- PROTECTIVE ACTIONS DURING Containers close to fire should be removed or cooled with water.

FIREFIGHTING

SPECIAL PROTECTIVE EQUIPMENT Wear positive-pressure self-contained breathing apparatus (SCBA)

FOR FIREFIGHTERS and appropriate protective clothing.

### **6: ACCIDENTAL RELEASE MEASURES**

**ENVIRONMENT PRECAUTIONS:** 

PERSONAL PRECAUTIONS: Wear suitable protective equipment, including gloves, goggles/face

shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground.

CLEANING UP METHODS FOR SPILLAGES: Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage

with sand, earth or other non-combustible material. The

contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and

seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as

possible. Wash thoroughly after dealing with a spillage.



### 7: HANDLING AND STORAGE

USAGE PRECAUTIONS: Wear protective clothing as described in Section 8 of this safety

data sheet. Avoid contact with skin, eyes and clothing.

OCCUPATIONAL HYGIENE: Do not eat, drink or smoke when using this product. Wash at the

end of each work shift and before eating, smoking and using the

toilet.

STORAGE PRECAUTIONS: Store in tightly-closed, original container in a dry, cool and well-

ventilated place. Keep away from heat, sparks and open flame.

Protect from freezing and direct sunlight.

### 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation.

Eye/FACE PROTECTION: Eyewear complying with an approved standard should be worn if a

risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

HAND PROTECTION: Chemical-resistant, impervious gloves complying with an approved

standard should be worn if a risk assessment indicates skin contact

is possible.

OTHER SKIN AND BODY PROTECTION: Wear appropriate clothing to prevent any possibility of skin

contact. Wear apron or protective clothing in case of contact.

HYGIENE MEASURES: No specific hygiene procedures recommended but good personal

hygiene practices should always be observed when working with

chemical products.

RESPIRATORY PROTECTION: No specific recommendations. Respiratory protection may be

required if excessive airborne contamination occurs.

ENVIRONMENTAL EXPOSURE CONTROLS: Residues and empty containers should be taken care of as

hazardous waste according to local and national provisions.

#### 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid.

COLOUR: Colourless to Yellow. ODOUR: Characteristic.

FLASH POINT °C: > 81Specific gravity @ 20°C:  $\sim 1.003$ Refractive index @ 20°C:  $\sim 1.475$ 



**10: STABILITY AND REACTIVITY** 

STABILITY: Stable at normal ambient temperatures

POSSIBILITY OF HAZARDOUS REACTIONS: Will not polymerise

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition

MATERIALS TO AVOID: Strong oxidising agents. Strong acids. Strong alkalis

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition or combustion may liberate carbon oxides

and other toxic gases or vapours

11: TOXICOLOGICAL INFORMATION

EYE CONTACT: Causes serious eye irritation

SKIN CONTACT: Causes skin irritation. May produce an allergic reaction
ACUTE AND CHRONIC HEALTH HAZARDS: Suspected of damaging fertility or the unborn child

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY - ORAL

ATE oral (mg/kg): 6,098.32

ACUTE TOXICITY - DERMAL

ATE dermal (mg/kg): 78,640.78

**ACUTE TOXICITY - INHALATION** 

ATE inhalation (vapours mg/l): 291.26

**TOXICOLOGICAL INFORMATION ON INGREDIENTS** 

PHENYLETHYL ALCOHOL

ACUTE TOXICITY - ORAL

Acute toxicity oral (LD $_{50}$ mg/kg): 1,603.3 Species: Rat ATE oral (mg/kg): 1,603.3

BUTYLPHENYL METHYLPROPIONAL

ACUTE TOXICITY - ORAL

Acute toxicity oral (LD $_{50}$ mg/kg): 1,390.0 Species: Rat ATE oral (mg/kg): 1,390.0

2-PROPENYL HEPTANOATE (ALLYL HEPTANOATE)

**ACUTE TOXICITY - ORAL** 

Acute toxicity oral (LD $_{50}$ mg/kg): 218.0 Species: Rat ATE oral (mg/kg): 218.0

ACUTE TOXICITY - DERMAL

Acute toxicity - DerMAL

Acute toxicity dermal (LD $_{50}$ mg/kg): 810.0

Species: Rat

ATE dermal (mg/kg): 810.0

**ACUTE TOXICITY - INHALATION** 

ATE inhalation (vapours mg/l): 3.0



12: ECOLOGICAL INFORMATION

ECOTOXICITY: Harmful to aquatic life with long lasting effects.

Persistence and degradability: The product contains substances which are not expected to be

biodegradable.

BIOACCUMULATIVE POTENTIAL: The product does not contain any substances expected to be

bioaccumulating.

MOBILITY: The product is insoluble in water.

RESULTS OF PBT AND VPVB ASSESSMENT: This product does not contain any substances classified as PBT or

vPvB.

### **ECOLOGICAL INFORMATION ON INGREDIENTS.**

HEXYL CINNAMAL

**ACUTE AQUATIC TOXICITY** 

 $LE(C)_{50}$ :  $0.1 < L(E)C50 \le 1$ 

M factor (Acute):

2-PROPENYL HEPTANOATE (ALLYL HEPTANOATE)

**ACUTE AQUATIC TOXICITY** 

 $LE(C)_{50}$ :  $0.1 < L(E)C50 \le 1$ 

M factor (Acute):

13: DISPOSAL CONSIDERATIONS

Disposal METHODS: Dispose of waste product or used containers in accordance with

local regulations

14: TRANSPORT INFORMATION

GENERAL: The product is not covered by international regulations on the

transport of dangerous goods (IMDG, IATA, ADR/RID).

UN NUMBER: Not applicable. PROPER SHIPPING NAME: Not applicable.

TRANSPORT HAZARD CLASS(ES): No transport warning sign required.

PACKING GROUP:

ENVIRONMENTAL HAZARDS:

SPECIAL PRECAUTIONS FOR USER:

TRANSPORT IN BULK ACCORDING TO ANNEX II

Not applicable.

Not applicable.

OF MARPOL73/78 AND THE IBC CODE:

**15: REGULATORY INFORMATION** 

EU LEGISLATION: Regulation (EC) No 1272/2008 of the European Parliament and of

the Council of 16 December 2008 on classification, labelling and

packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as

amended).

GUIDANCE: Workplace Exposure Limits EH40.



### **16: OTHER INFORMATION**

#### **KEY LITERATURE REFERENCES AND SOURCES FOR DATA**

European Chemicals Agency, http://echa.europa.eu/

### **HAZARD STATEMENTS IN FULL**

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.