

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Tibetan Musk Fragrance

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF

TELEPHONE: +44 (0)117-9087770.

PRODUCT NUMBER: 383
IDENTIFIED USES: Fragrance

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

PHYSICAL HAZARDS: Not Classified
 HEALTH HAZARDS: Skin Irrit. 2 - H315
 Skin Sens. 1 - H317

Repr. 1B - H360

- ENVIRONMENTAL HAZARDS: Aquatic Chronic 2 - H411

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: DANGER

HAZARD STATEMENTS: H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H360 May damage fertility or the unborn child. H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS: P261 Avoid breathing vapour/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical

advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.



SUPPLEMENTARY PRECAUTIONARY P201 Obtain special instructions before use.

STATEMENTS: P202 Do not handle until all safety precautions have been read and

understood.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/attention.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with national

regulations.

CONTAINS: Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Limonene,

Alphaisomethyl Ionone, Hexyl Cinnamal, Amyl Cinnamal, Cyclamen

Aldehyde, Geraniol, Butylphenyl Methylpropional

3: COMPOSITION/INFORMATION ON INGREDIENTS

HEXAMETHYLINDANOPYRAN	10-30%	
CAS number:	1222-05-5	
EC number:	214-946-9	

M factor (Acute) 1 M factor (Chronic) 1

Classification Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

BENZYL BENZOATE1-5%CAS number:120-51-4EC number:204-402-9

M factor (Acute) 1

Classification Acute Tox. 4 - H302 Aquatic Acute 1 - H400

Aquatic Chronic 2 - H411

PHENYLETHYL ALCOHOL1-5%CAS number:60-12-8EC number:200-456-2ClassificationAcute Tox. 4 - H302

Eye Irrit. 2 - H319

HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE 1-59

CAS number: 31906-04-4 EC number: 250-863-4

Classification Skin Sens. 1B - H317



	<1%
BUTYLPHENYL METHYLPROPIONAL	
CAS number: EC number:	80-54-6
Classification	201-289-8
Classification	Acute Tox. 4 - H302
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Repr. 2 - H361
	Aquatic Chronic 2 - H411
GERANIOL	<1%
CAS number:	106-24-1
EC number:	203-377-1
Classification	Skin Irrit. 2 - H315
	Eye Dam. 1 - H318
	Skin Sens. 1 - H317
CYCLAMEN ALDEHYDE	<1%
CAS number:	103-95-7
EC number:	203-161-7
Classification	Skin Irrit. 2 - H315
	Skin Sens. 1B - H317
	Aquatic Chronic 3 - H412
MUSK KETONE	<1%
CAS number:	81-14-1
EC number:	201-328-9
M factor (Acute)	1
M factor (Chronic)	1
Classification	Carc. 2 - H351
	Aquatic Acute 1 - H400
	Aquatic Chronic 1 - H410
ACETYL HEXAMETHYL TETRALIN	<1%
CAS number:	1506-02-1
EC number:	216-133-4
M factor (Acute)	1
Classification	Acute Tox. 4 - H302
	Aquatic Acute 1 - H400
	Aquatic Chronic 1 - H410
AMYL CINNAMAL	<1%
CAS number:	122-40-7
EC number:	204-541-5
Classification	Skin Sens. 1B - H317
,	Aquatic Chronic 2 - H411
HEXYL CINNAMAL	<1%
CAS number:	101-86-0
EC number:	202-983-3
M factor (Acute)	1
Classification	Skin Sens. 1B - H317
	Aquatic Acute 1 - H400
	Aquatic Chronic 2 - H411
	•



ALPHA-ISOMETHYL IONONE	<1%
CAS number:	127-51-5
EC number:	204-846-3
Classification	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Skin Sens. 1B - H317
	Aquatic Chronic 2 - H411
LIMONENE	<1%
CAS number:	138-86-3
EC number:	205-341-0
M factor (Acute)	1
M factor (Chronic)	1
Classification	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Asp. Tox. 1 - H304
	Aquatic Acute 1 - H400
_	Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

4: FIRST AID MEASURES

INHALATION: Move affected person to fresh air at once. Get medical attention if

any discomfort continues.

INGESTION: Rinse mouth thoroughly with water. Give plenty of water to drink.

Get medical attention immediately.

SKIN CONTACT: Remove contaminated clothing immediately and wash skin with soap

and water. Get medical attention if symptoms are severe or persist

after washing.

EYE CONTACT: Remove any contact lenses and open eyelids wide apart. Rinse

immediately with plenty of water. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

GENERAL INFORMATION: Persons suffering from asthma, eczema or skin problems should avoid

contact, including dermal contact, with this product. See Section 11

for additional information on health hazards.

NOTES FOR THE DOCTOR: No specific recommendations.

5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA RECOMMENDED: Extinguish with the following media: Foam, carbon dioxide or dry

powder.

Unsuitable extinguishing media: Water.

SPECIFIC HAZARDS: Toxic gases or vapours.

PROTECTIVE ACTIONS DURING FIREFIGHTING: Containers close to fire should be removed or cooled with water.

SPECIAL PROTECTIVE EQUIPMENT FOR Wear positive-pressure self-contained breathing apparatus (SCBA)

FIREFIGHTERS: and appropriate protective clothing.



6: ACCIDENTAL RELEASE MEASURES

ENVIRONMENT PRECAUTIONS:

PERSONAL PRECAUTIONS: Wear suitable protective equipment, including gloves, goggles/face

shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground. Keep combustible materials away from spillage. Eliminate all sources

CLEANING UP METHODS FOR SPILLAGES: Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage

with sand, earth or other non-combustible material. The

contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and

seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.

7: HANDLING AND STORAGE

USAGE PRECAUTIONS: Wear protective clothing as described in Section 8 of this safety

data sheet. Avoid contact with skin, eyes and clothing.

OCCUPATIONAL HYGIENE: Do not eat, drink or smoke when using this product. Wash at the

end of each work shift and before eating, smoking and using the

toilet.

Storage Precautions: Store in tightly-closed, original container in a dry, cool and well-

ventilated place. Keep away from heat, sparks and open flame.

Protect from freezing and direct sunlight.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

HAND PROTECTION:



APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation.

Eye/FACE PROTECTION: Eyewear complying with an approved standard should be worn if a

risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. Chemical-resistant, impervious gloves complying with an approved

standard should be worn if a risk assessment indicates skin contact

is possible.

OTHER SKIN AND BODY PROTECTION: Wear appropriate clothing to prevent any possibility of skin

contact. Wear apron or protective clothing in case of contact.

HYGIENE MEASURES: No specific hygiene procedures recommended but good personal

hygiene practices should always be observed when working with

chemical products.

RESPIRATORY PROTECTION: No specific recommendations. Respiratory protection may be

required if excessive airborne contamination occurs.



ENVIRONMENTAL EXPOSURE CONTROLS: Residues and empty containers should be taken care of as

hazardous waste according to local and national provisions.

9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid.

COLOUR: Colourless / Pale Yellow.

Odour: Characteristic.

FLASH POINT °C: > 65°C

Specific gravity @ 20°C: ~ 1.029 @ 20°C Refractive index @ 20°C: ~ 1.447 @ 20°C

10: STABILITY AND REACTIVITY

REACTIVITY: There are no known reactivity hazards associated with this

product.

STABILITY: Stable at normal ambient temperatures.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not polymerise.

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition.

MATERIALS TO AVOID: Strong oxidising agents. Strong acids. Strong alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition or combustion may liberate carbon oxides

and other toxic gases or vapours.

11: TOXICOLOGICAL INFORMATION

Acute toxicity - oral

ATE oral (mg/kg) 51,664.36

Skin contact Causes skin irritation. May produce an allergic reaction.

Acute and chronic health hazards May damage fertility or the unborn child.

TOXICOLOGICAL INFORMATION ON INGREDIENTS.

BENZYL BENZOATE Acute toxicity - oral Acute toxicity oral (LD₅₀mg/kg) 1,500.0 **Species** Mouse ATE oral (mg/kg) 1,500.0 Acute toxicity - dermal 4,000.0 Acute toxicity dermal (LD₅omg/kg) **Species** Rabbit 4,000.0 ATE dermal (mg/kg) PHENYLETHYL ALCOHOL Acute toxicity - oral 1,603.3 Acute toxicity oral (LD₅omg/kg) **Species** Rat ATE oral (mg/kg) 1,603.3



12: ECOLOGICAL INFORMATION

ECOTOXICITY: Toxic to aquatic life with long lasting effects.

Persistence and degradability: The product contains substances which are not expected to be

biodegradable.

BIOACCUMULATIVE POTENTIAL: The product does not contain any substances expected to be

bioaccumulating.

MOBILITY IN SOIL: The product is insoluble in water.

RESULTS OF PBT AND VPVB ASSESSMENT: This product does not contain any substances classified as PBT or

vPvB.

ECOLOGICAL INFORMATION ON INGREDIENTS:

HEXAMETHYLINDANOPYRAN

Acute aquatic toxicity

 $LE(C)_{50}$ 0.1 < $L(E)C50 \le 1$

M factor (Acute) 1

Chronic aquatic toxicity

NOEC $0.001 < \text{NOEC} \le 0.01$ Degradability Rapidly degradable

M factor (Chronic) 1

BENZYL BENZOATE

Acute aquatic toxicity

 $LE(C)_{50}$ 0.1 < $L(E)C50 \le 1$

M factor (Acute)

13: DISPOSAL CONSIDERATIONS

Disposal METHODS: Dispose of waste product or used containers in accordance with

local regulations



14: TRANSPORT INFORMATION

UN NUMBER: 3082

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(CONTAINS HEXAMETHYLINDANOPYRAN, BENZYL BENZOATE)

Transport Hazard Class(es): 9

PACKING GROUP: III

Environmentally hazardous

substance/marine pollutant



SPECIAL PRECAUTIONS FOR USER

- EMS F-A, S-F

- ADR TRANSPORT CODE: 3
- EMERGENCY ACTION CODE: •3Z
- HAZARD IDENTIFICATION NUMBER: 90
- TUNNEL RESTRICTION CODE: (E)

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:

Not applicable.

15: REGULATORY INFORMATION

EU LEGISLATION: Regulation (EC) No 1272/2008 of the European Parliament and of

the Council of 16 December 2008 on classification, labelling and

packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as

amended).

GUIDANCE: Workplace Exposure Limits EH40.



16: OTHER INFORMATION

KEY LITERATURE REFERENCES AND SOURCES FOR DATA

European Chemicals Agency, http://echa.europa.eu/

HAZARD STATEMENTS IN FULL

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.