

### **SAFETY DATA SHEET**

### 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Nutmeg Essential Oil

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF

TELEPHONE: +44 (0)117-9087770.

PRODUCT NUMBER: 39
CAS NUMBER: 84082-68-8
EC NUMBER: 282-013-3

IDENTIFIED USES: Concentrated material for manufacturing purposes only.

### 2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CAS: 84082-68-8 EC: 282-013-3

CLASSIFICATION (EC 1272/2008):

- ENVIRONMENTAL HAZARDS: Aquatic Chronic 2 - H411

#### **LABEL ELEMENTS**

PICTOGRAM:



SIGNAL WORD: DANGER

HAZARD STATEMENTS: H411 Toxic to aquatic life with long lasting effects.

H350 May cause cancer.

H304 May be fatal if swallowed and enters airways.

H341 Suspected of causing genetic defects. H317 May cause an allergic skin reaction. H226 Flammable liquid and vapour.

H315 Causes skin irritation.



PRECAUTIONARY STATEMENTS: P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing.
Rinse skin with water/shower.

P501 Dispose of contents/container in accordance with national

regulations.

SUPPLEMENTARY PRECAUTIONARY

P201 Obtain special instructions before use.

STATEMENTS:

P202 Do not handle until all safety precautions have been read and

understood.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing vapour/spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see medical advice on this label).

P331 Do NOT induce vomiting.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical

advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or

water fog to extinguish. P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

CONTAINS: PIN-2(3)-ENE (ALPHA-PINENES), LIMONENE, p-MENTHA-1,4-DIENE

(GAMMATERPINENE), p-MENTHA-1,3-DIENE (ALPHA-TERPINENE), MYRCENE, p-MENTHA-1,4(8)-DIENE (TERPINOLENE), EUCALYPTOL, 5-ALLYL-1,3-BENZODIOXOLE (SAFROLE), ALPHA-PHELLANDRENE, p-CYMENE, 3,7,7-TRIMETHYLBICYCLO[4.1.0]-3- HEPTENE (3-CARENE),

EUGENOL



3: COMPOSITION/INFORMATION ON INGREDIENTS		
30 - 60% PIN-2(3)-ENE (ALPHA-PINENES)		
CAS NUMBER: 80-56-8	EC NUMBER: 201-291-9	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Skin Sens. 1B - H317	
	Asp. Tox. 1 - H304	
5 - 10% LIMONENE		
CAS NUMBER: 138-86-3	EC NUMBER: 205-341-0	
M FACTOR (ACUTE) = 1	M FACTOR (CHRONIC) = 1	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226	
	Skin Irrit. 2 - H315	
	Skin Sens. 1 - H317	
	Asp. Tox. 1 - H304	
	Aquatic Acute 1 - H400	
	Aquatic Chronic 1 - H410	
1 - 5% p-MENTHA-1,4-DIENE (GAMMA-TER	•	
CAS NUMBER: 99-85-4	EC NUMBER: 202-794-6	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226	
	Asp. Tox. 1 - H304	
1 - 5% 4-TERPINEOL		
CAS NUMBER: 562-74-3	EC NUMBER: 209-235-5	
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302	
	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
1 - 5% p-MENTHA-1,3-DIENE (ALPHA-TERPI	NENE)	
CAS NUMBER: 99-86-5	EC NUMBER: 202-795-1	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226	
	Acute Tox. 4 - H302	
	Asp. Tox. 1 - H304	
	Aquatic Chronic 2 - H411	
1 - 5% 5-ALLYL-1,3-BENZODIOXOLE (SAFRO		
CAS NUMBER: 94-59-7	EC NUMBER: 202-345-4	
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302	
	Muta. 2 - H341	
1 FW FUCAL VICTOR	Carc. 1B - H350	
1 - 5% EUCALYPTOL	FC 100 1050 207 424 F	
CAS NUMBER: 470-82-6	EC NUMBER: 207-431-5	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226 Skin Sens. 1B - H317	
1 - 5% p-MENTHA-1,4(8)-DIENE (TERPINOLE		
CAS NUMBER: 586-62-9	EC NUMBER: 209-578-0	
CLASSIFICATION (EC 1272/2008):	Skin Sens. 1 - H317	
	Asp. Tox. 1 - H304	
	Aquatic Chronic 1 - H410	



एडडएमधारा भार, अ	chicare & aromatherapy products
1 - 5% MYRCENE	
CAS NUMBER: 123-35-3	EC NUMBER: 204-622-5
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Asp. Tox. 1 - H304
1 - 5% ALPHA-PHELLANDRENE	
CAS NUMBER: 99-83-2	EC NUMBER: 202-792-5
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Asp. Tox. 1 - H304
1 - 5% 3,7,7-TRIMETHYLBICYCLO[4.1.0]-3-	HEPTENE (3-CARENE)
CAS NUMBER: 13466-78-9	EC NUMBER: 236-719-3
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Skin Sens. 1B - H317
	Asp. Tox. 1 - H304
	Aquatic Chronic 2 - H411
1 - 5% p-CYMENE	
CAS NUMBER: 99-87-6	EC NUMBER: 202-796-7
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Asp. Tox. 1 - H304
	Aquatic Chronic 2 - H411
<1% 1,2-DIMETHOXY-4-(2-PROPENYL)-BEN	NZENE (METHYLEUGENOL)
CAS NUMBER: 93-15-2	EC NUMBER: 202-223-0
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302
	Muta. 2 - H341
	Carc. 2 - H351
<1% EUGENOL	
CAS NUMBER: 97-53-0	EC NUMBER: 202-589-1
CLASSIFICATION (EC 1272/2008):	Eye Irrit. 2 - H319
	Skin Sens. 1B - H317
<1% CAMPHENE	
CAS NUMBER: 79-92-5	EC NUMBER: 201-234-8
M FACTOR (ACUTE) = 1	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Eye Irrit. 2 - H319
	Asp. Tox. 1 - H304
	Aquatic Acute 1 - H400
	Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.



#### **4: FIRST AID MEASURES**

INHALATION: Move affected person to fresh air at once. Get medical attention if

any discomfort continues.

INGESTION: Rinse mouth thoroughly with water. Give plenty of water to drink.

Get medical attention immediately.

SKIN CONTACT: Remove contaminated clothing immediately and wash skin with soap

and water. Get medical attention if symptoms are severe or persist

after washing.

EYE CONTACT: Remove any contact lenses and open eyelids wide apart. Rinse

immediately with plenty of water. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

GENERAL INFORMATION: Persons suffering from asthma, eczema or skin problems should avoid

contact, including dermal contact, with this product. See Section 11

for additional information on health hazards.

NOTES FOR THE DOCTOR: No specific recommendations.

#### **5: FIREFIGHTING MEASURES**

EXTINGUISHING MEDIA RECOMMENDED: Extinguish with the following media: Foam, carbon dioxide or dry

powder. Water.

Unsuitable Extinguishing Media:

SPECIAL HAZARDS ARISING FROM THE

SUBSTANCE OR MIXTURE: Toxic gases or vapours.

Advice for firefighters: Containers close to fire should be removed or cooled with water.

Wear positive-pressure self-contained breathing apparatus (SCBA)

and appropriate protective clothing.

### **6: ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS: Wear suitable protective equipment, including gloves, goggles/face

shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground.

ENVIRONMENT PRECAUTIONS: Do not discharge into drains or watercourses or onto the ground.

CLEANING UP METHODS FOR SPILLAGES: Keep combustible materials away from spillage. Eliminate all sources

of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after

dealing with a spillage.



#### 7: HANDLING AND STORAGE

USAGE PRECAUTIONS: Wear protective clothing as described in Section 8 of this safety data

sheet. Avoid contact with skin, eyes and clothing.

OCCUPATIONAL HYGIENE: Do not eat, drink or smoke when using this product. Wash at the end

of each work shift and before eating, smoking and using the toilet.

STORAGE PRECAUTIONS: Store in tightly-closed, original container in a dry, cool and well-

ventilated place. Keep away from heat, sparks and open flame.

Protect from freezing and direct sunlight.

### 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation.

Eye/FACE PROTECTION: Eyewear complying with an approved standard should be worn if a

risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

HAND PROTECTION: Chemical-resistant, impervious gloves complying with an approved

standard should be worn if a risk assessment indicates skin contact is

possible.

Other skin and body protection: Wear appropriate clothing to prevent any possibility of skin contact.

Wear apron or protective clothing in case of contact.

HYGIENE MEASURES: No specific hygiene procedures recommended but good personal

hygiene practices should always be observed when working with

chemical products.

RESPIRATORY PROTECTION: No specific recommendations. Respiratory protection may be

required if excessive airborne contamination occurs.

ENVIRONMENTAL EXPOSURE CONTROLS: Residues and empty containers should be taken care of as hazardous

waste according to local and national provisions.

#### 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Liquid

COLOUR: Pale Yellow to Yellow. Brown.

Odour Characteristic.

 FLASH POINT °C:
 38

 SPECIFIC GRAVITY @ 20°C:
 ~0.885

 REFRACTIVE INDEX @ 20°C:
 ~1.480



#### 10: STABILITY AND REACTIVITY

Stable at normal ambient temperatures.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not polymerise.

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition.

MATERIALS TO AVOID: Strong oxidising agents. Strong acids. Strong alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition or combustion may liberate carbon oxides

and other toxic gases or vapours.

### 11: TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY -ORAL:** 

- ATE ORAL (MG/KG): 16982.89

INGESTION: May be fatal if swallowed and enters airways.

SKIN CONTACT: May cause an allergic skin reaction.

ACUTE AND CHRONIC HEALTH HAZARDS: Suspected of causing genetic defects. May cause cancer.

**TOXICOLOGICAL INFORMATION ON INGREDIENTS.** 

4-TERPINEOL

**ACUTE TOXICITY - ORAL:** 

ACUTE TOXICITY ORAL (LD $_{50}$  Mg/kg): 1300 SPECIES: Rat ATE ORAL (Mg/kg): 1300

**ACUTE TOXICITY - DERMAL:** 

ACUTE TOXICITY DERMAL (LD<sub>50</sub> MG/KG): 2500 Species: Rabbit ATE DERMAL (MG/KG): 2500

5-ALLYL-1,3-BENZODIOXOLE (SAFROLE)

ACUTE TOXICITY - ORAL

ACUTE TOXICITY ORAL (LD $_{50}$ MG/KG): 1950 SPECIES: Rat ATE ORAL (MG/KG): 1950

12: ECOLOGICAL INFORMATION

ECOTOXICITY: Very toxic to aquatic life with long lasting effects.

**ECOLOGICAL INFORMATION ON INGREDIENTS:** 

LIMONENE

**ACUTE AQUATIC TOXICITY** 

 $LE(C)_{50}$ :  $0.1 < L(E)C50 \le 1$ 

M FACTOR (ACUTE):

**CHRONIC AQUATIC TOXICITY** 

M FACTOR (CHRONIC):

P-MENTHA-1,4(8)-DIENE (TERPINOLENE)

**CHRONIC AQUATIC TOXICITY** 

M FACTOR (CHRONIC):

Persistence and degradability: The product is expected to be biodegradable

BIOACCUMULATIVE POTENTIAL: The product does not contain any substances expected to be

bioaccumulating

MOBILITY IN SOIL: The product is insoluble in water.

SDS: 39 Nutmeg Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director - Date: 13/05/2019 - Version: 2



RESULTS OF PBT AND VPVB ASSESSMENT: This product does not contain any substances classified as PBT or

vPvB.

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of waste product or used containers in accordance with

local regulations.

**14: TRANSPORT INFORMATION** 

UN No.:

UN No. (ADR/RID): 1169 UN No. (IMDG): 1169 UN No. (ICAO): 1169 UN No. (ADN): 1169

**UN PROPER SHIPPING NAME:** 

PROPER SHIPPING NAME (ADR/RID): EXTRACTS, AROMATIC, LIQUID

PROPER SHIPPING NAME (IMDG): EXTRACTS, AROMATIC, LIQUID (CONTAINS LIMONENE, p-MENTHA-

1,3-DIENE (ALPHATERPINENE)).

PROPER SHIPPING NAME (ICAO): EXTRACTS, AROMATIC, LIQUID PROPER SHIPPING NAME (ADN): EXTRACTS, AROMATIC, LIQUID

TRANSPORT HAZARD CLASS(ES):

ADR/RID CLASS:
ADR/RID CLASSIFICATION CODE:
ADR/RID LABEL:
IMDG CLASS:
ICAO CLASS/DIVISION:
ADD CLASS
ADD CLASS
ADD CLASS
3

PACKING GROUP:

ADR/RID PACKING GROUP: III
IMDG PACKING GROUP: III
ADN PACKING GROUP: III
ICAO PACKING GROUP: III

ENVIRONMENTAL HAZARDS: Environmentally hazardous

substance/marine pollutant

SPECIAL PRECAUTIONS FOR USER:

EMS: F-E, S-D
ADR TRANSPORT CATEGORY: 3
EMERGENCY ACTION CODE: 3Y
HAZARD IDENTIFICATION NUMBER (ADR/RID): 30
TUNNEL RESTRICTION CODE: (D/E)

TRANSPORT IN BULK ACCORDING TO ANNEX II Not applicable

OF MARPOL73/78 AND THE IBC CODE:







#### **15: REGULATORY INFORMATION**

EU LEGISLATION: Regulation (EC) No 1272/2008 of the European Parliament and of the

Council of 16 December 2008 on classification, labelling and

packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the

Council of 18 December 2006 concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals (REACH) (as

amended).

GUIDANCE: Workplace Exposure Limits EH40.

#### **16: OTHER INFORMATION**

HAZARD STATEMENTS IN FULL: H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

### Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.