

# SAFETY DATA SHEET

#### 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Patchouli Essential Oil SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF PRODUCT NUMBER: 41 CAS NUMBER: Related 84238-39-1 EC NUMBER: 939-227-3 / Related 282-493-4 INCI: Pogostemon Cablin Oil IDENTIFIED USES: Concentrated product used in the following products: washing & cleaning products, biocides (e.g. disinfectants, pest control products), air care products, polishes and waxes, perfumes and fragrances and cosmetics and personal care products BIOLOGICAL DEFINITION:. Produced by steam distillation of leaves of Pogostemon Cablin.

#### **2: HAZARDS IDENTIFICATION**

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

# CAS: Related 84238-39-1

EC: 939-227-3 / Related 282-493-4

### CLASSIFICATION (EC 1272/2008):

- PHYSICAL HAZARDS:Not classified.HEALTH HAZARDS:Asp. Toxicity (Cat. 1): H304
- ENVIRONMENTAL HAZARDS: Aquatic Chronic (Cat. 2): H411

#### LABEL ELEMENTS

#### PICTOGRAM:



SIGNAL WORD: HAZARD STATEMENTS:

**PRECAUTIONARY STATEMENTS:** 

None H304: May be fatal if swallowed and enters airways. H411: Toxic to aquatic life with long lasting effects P280: Wear protective gloves/clothing/eye-protection/face protection P261: Avoid breathing vapour/spray P264: Wash hands thoroughly after handling P301+P310: If swallowed: immediately call a poison centre or doctor P302 + P352: If on skin, was with plenty of soap and water P305 + P351: If in eyes, rinse cautiously with water for several minutes P331: Do not induce vomiting P338: Remove contact lenses, if present, and easy to do so, continue rinsing. P391: Collect Spillage P233: Keep container tightly closed P501: Dispose of contents/containers in accordance with local/national regulations



#### **<u>3: COMPOSITION/INFORMATION ON INGREDIENTS</u>**

#### MIXTURE:

**REACH DESCRIPTION:** 

Reaction mass of 1,4-dimethyl-7-(prp-1-en-2-yl)-1,2,3,4,5,6,7,8octahydroazulene and 3.8-dimethyl-5-(prop-1-en-2-yl)-1,2,3,3a,4,5,6,7octahydroazulene and 4,8a, 9,9-tetramethyldecahydro-1,6methanonapthalen-1-ol

CHEMICAL IDENTITY OF INGREDIENTS:		
23 to 45% Patchouli alcohol		
CAS NUMBER: 5986-55-0	EC NUMBER: 227-807-2	
CLASSIFICATION (EC 1272/2008):	Not classified	
5 to 25% Alpha-bulnesene		
CAS NUMBER: 3691-11-0	EC NUMBER: -	
CLASSIFICATION (EC 1272/2008):	Not classified	
0.5 to 20% Alpha-guaiene		
CAS NUMBER: 88-84-6	EC NUMBER: 201-860-1,	
CLASSIFICATION (EC 1272/2008):	Asp Tox. 1, H304	
	Skin Irrit. 2, H315	
	Eye Irrit. 2, H319	
1 to 14% Seychellene:		
CAS NUMBER: -	EC NUMBER: -	
CLASSIFICATION (EC 1272/2008):	Not classified	
1 to 10% Alpha-patchoulene		
CAS NUMBER: 560-32-7;	EC NUMBER: -	
CLASSIFICATION (EC 1272/2008):	Not classified	
1 to 8% Pogostol:		
CAS NUMBER: 21698-41-9:	EC NUMBER: -	
CLASSIFICATION (EC 1272/2008):	Not classified	
1 to 6% Aciphyllene		
CAS NUMBER: 87745-31-1	EC NUMBER: -	
CLASSIFICATION (EC 1272/2008):	Not classified	
0 to 6% Caryophyllene		
CAS NUMBER: 87-44-5	EC NUMBER: 201-746-1	
CLASSIFICATION (EC 1272/2008):	Asp. Tox. 1 H304	
	Skin Sens. 1B, H317	
	Aquatic Chronic 4, H413	
0 to 6% Humulene		
CAS NUMBER: 6753-98-6,	EC NUMBER: 229-816-7	
CLASSIFICATION (EC 1272/2008):	Not classified	
0 to 5% Delta-patchoulene		
CAS NUMBER: 53823-16-8;	EC NUMBER: -	
CLASSIFICATION (EC 1272/2008):	Not classified	
0 to 4% Beta-patchoulene		
CAS NUMBER: 514-51-2	EC NUMBER: 208-182-5	
CLASSIFICATION (EC 1272/2008):	Not classified	

SDS: 41 Patchouli Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director – Date: 09/05/2019 - Version: 4




0 to 3.5% epi-beta Caryophyllene	
CAS NUMBER: 514-51-2	EC NUMBER: 208-182-5;
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 H315
	Eye Irrit. 2, H319
0 to 3% Nor-patchoulenol	
CAS NUMBER: 41429-52-1	EC NUMBER: -
CLASSIFICATION (EC 1272/2008):	Not classified
0 to 3% alpha Copaene	
CAS NUMBER: -	EC NUMBER: -
CLASSIFICATION (EC 1272/2008):	Not classified
0 to 2%: Beta-elemene	
CAS NUMBER: 515-13-9	EC NUMBER: -
CLASSIFICATION (EC 1272/2008):	Not classified
0 to 2%: Pogostone	
CAS NUMBER: 23800-56-8	EC NUMBER: -
CLASSIFICATION (EC 1272/2008):	Not classified
0 to 1.5% Cycloseychellene	
CAS NUMBER: 86562-17-6	EC NUMBER: -
CLASSIFICATION (EC 1272/2008):	Not classified
0 to 1% Beta-Selinene	
CAS NUMBER: 17066-67-0	EC NUMBER: -
CLASSIFICATION (EC 1272/2008):	Not classified
0 to 10% Unknown Impurities; likely to	be Patchouli Sesquiterpenes.
Each present at less than 1%.	
I: FIRST AID MEASURES INHALATION:	Remove to fresh air.
INGESTION:	Do not induce vomiting. Give a glass of water. See a doctor
	immediately
SKIN CONTACT:	Wash well with water.
EYE CONTACT:	Flush eyes with water for 15 minutes. If irritation persists, see a
	doctor
GENERAL INFORMATION:	Dependant on the level / type of exposure, small levels can be treat
	by first aider. Larger contact or if systems persist, seek medical help
	immediately
NOTES FOR THE DOCTOR:	Use personal protective equipment as described in section 8 if
	substance is present.
MOST IMPORTANT SYMPTOMS AND EFFECTS,	Breathing difficulties.
BOTH ACUTE AND DELAYED:	



#### **5: FIREFIGHTING MEASURES**

EXTINGUISHING MEDIA RECOMMENDED:	Use foam, dry powder, carbon dioxide or vaporising liquids.
SPECIAL HAZARDS ARISING FROM THE	May produce fumes of carbon monoxide and carbon dioxide.
SUBSTANCE OR MIXTURE:	Moderate explosion hazard when exposed to flame
Advice for Firefighters:	Containers close to fire should be removed or cooled with water Self-contained breathing apparatus and full protective clothing must be worn in case of fire
Emergency Action Code:	3[Y] (Foam + BA & Fire Kit)
6: ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS, PROTECTIVE	Wear appropriate protective clothing
EQUIPMENT AND EMERGENCY PROCEDURES:	Shut off all sources of ignition
ENVIRONMENT PRECAUTIONS:	Do not discharge into drains, water courses or onto ground
CLEANING UP METHODS FOR SPILLAGES:	
- SMALL SPILLS:	Wash area with detergent and water.
- LARGE SPILLS:	Contain with earth, sand or similar inert absorbent material and both liquids and solids transferred to salvage containers and arrange disposal by disposal company. Wash spilled area thoroughly with water and detergent.
7: HANDLING AND STORAGE	
PRECAUTIONS FOR SAFE HANDLING:	Avoid spilling, eye and skin contact
	Use only in a well-ventilated area.
	Keep away from heat or flame.
	Wash area well with hot water and detergent and check for
	residual vapours with an explosion meter before carrying out maintenance.
STORAGE PRECAUTIONS:	Must be stored and transported in accordance with local regulations for hazardous liquids.
	Store in tightly closed container in a dry, cool and well-ventilated

#### 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



APPROPRIATE ENGINEERING CONTROLS:	Use only in well-ventilated area
EYE/FACE PROTECTION:	Use safety goggles.
HAND PROTECTION:	See below.
OTHER SKIN AND BODY PROTECTION:	Use chemical resistant gloves.
HYGIENE MEASURES:	Wash hands after use.
<b>RESPIRATORY PROTECTION:</b>	None required when used in well-ventilated area. Use approved
	half face respirator if using undiluted in confined spaces.

place. Protect from freezing and direct sunlight



#### **9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Cl
COLOUR:	Li
Odour:	Cl
FLASH POINT °C (PENSKY MARTENS METHOD):	11
Specific gravity @ 25°C:	0.
Refractive index @ 25°C:	1.
SOLUBILITY:	N
	<b>C</b> -

lear mobile liquid ight to brown red-brown Characteristic woody, earthy .14 .945 to 0.975 ..510 to 1.515 lot soluble in water. Soluble in alcohol.

#### **10: STABILITY AND REACTIVITY**

REACTIVITY:	No data available.
CHEMICAL STABILITY:	Product is stable under normal temperature conditions
POSSIBILITY OF HAZARDOUS REACTIONS:	Hazardous polymerisation does not occur
CONDITIONS TO AVOID:	Keep away from heat or flame.
	Use only in a well-ventilated area.
INCOMPATIBLE MATERIALS:	Oxidising Agents, strong acids, strong alkalis.
HAZARDOUS DECOMPOSITION PRODUCTS:	May produce carbon monoxide and carbon dioxide upon

HAZARDOUS DECOMPOSITION PRODUCTS: decomposition

#### **11: TOXICOLOGICAL INFORMATION**

INFORMATION ON TOXICOLOGICAL EFFECTS
(HISTORICAL DATA):
SWALLOWED:
Eye:
INHALATION:
Skin:
SKIN IRRITATION:
SKIN SENSITIVITY:
MUTAGENICITY:

#### **12: ECOLOGICAL INFORMATION**

FISH TOXICITY:

PERSISTENCE AND DEGRADABILITY: **BIOACCUMULATIVE POTENTIAL:** MOBILITY IN SOIL: RESULTS OF PBT AND VPVB ASSESSMENT: OTHER ADVERSE EFFECTS:

Potential irritant. Potential irritant Acute dermal LD50 in rabbits > 2500 mg/kg - interpretation: low Potential irritant Contains allergens. Not determined.

Toxicity by Daphnia (LC50): 26.40 mg/l/48 hour Interpretation - moderate Regarded as readily biodegradable. Not determined Not determined Not determined Not established.

Rat (M/F) LD50 4380 mg/kg – interpretation: low



DISPOSAL METHODS:	Regulations for Disposal generally vary according to location. Contact local waste disposal authority for advice or pass to a chemical disposal company. Ensure compliance with local, state and federal regulations
SPECIAL PRECAUTIONS FOR LANDFILL AND INCINERATION:	Waste is suitable for incineration.
<b>14: TRANSPORT INFORMATION</b>	
UN NO.:	3082
PROPER SHIPPING NAME:	Environmentally Hazardous Liquid (N.O.S)
TRANSPORT HAZARD CLASS(ES):	9
PACKING GROUP:	III
Environmental Hazards:	Environmentally Hazardous Liquid, Marine Pollutant
SPECIAL PRECAUTIONS FOR USER:	Dangerous Goods Note
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:	Safety Data sheet does not cover transport in bulk (containers all below 220L)

#### **15: REGULATORY INFORMATION**

**13: DISPOSAL CONSIDERATIONS** 

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE: The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Classification and Labelling of Substances and Preparations Dangerous for supply

#### **16: OTHER INFORMATION**

Packaging:	
Түре	<b>SUITABILITY</b>
GLASS	Yes
Steel	Yes
Aluminium	Yes
F/HDPE	Yes
STAINLESS STEEL DRUM	Yes

#### Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Shelf life is 60 months when stored within advised conditions, re-test every 12 months thereafter for a possible further 36 months.



The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.