

### SAFETY DATA SHEET

### 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Rosemary Oil

SUPPLIER: Amphora Aromatics Ltd, 36 Cotham Hill, Cotham, Bristol BS6 6LA

Telephone +44 (0)117-9087770.

PRODUCT NUMBER: 45
CAS NUMBER: 8000-25-7
EC NUMBER: 283-291-9
EINECS NUMBER: 283-291-9

INCI: Rosmarinus officinalis Linnaeus oil

**IDENTIFIED USES:** 

BIOLOGICAL DEFINITION: Essential oil of rosemary obtained from the flowering tops of Rosmarinus

officinalis Linnaeus (Labiatae) by steam distillation.

#### 2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CAS: 8000-25-7 EC: 283-291-9

CLASSIFICATION (1272/2008)

PHYSICAL HAZARDS: H226 Flammable liquid and vapour. HEALTH HAZARDS: H371 May cause damage to organs.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

ENVIRONMENTAL HAZARDS: H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

### **L**ABEL ELEMENTS

PICTOGRAM:









SIGNAL WORD:

HAZARD STATEMENTS: H226 Flammable liquid and vapour.

DANGER

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H371 May cause damage to organs.

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

SDS: 45 Rosemary Essential oil.

 $Compiled \ by: Johndan \ Chilcott, \ Regulatory \ Affairs - Approved \ by \ Woody \ Evans, \ Director-Date: \ 10/04/2019 - Version: 4 \ Approved \ by \ Woody \ Evans, \ Director-Date: \ 10/04/2019 - Version: 4 \ Approved \ by \ Woody \ Evans, \ Director-Date: \ 10/04/2019 - Version: 4 \ Approved \ by \ Woody \ Evans, \ Director-Date: \ 10/04/2019 - Version: 4 \ Approved \ by \ Woody \ Evans, \ Director-Date: \ 10/04/2019 - Version: 4 \ Approved \ by \ Woody \ Evans, \ Director-Date: \ 10/04/2019 - Version: 4 \ Approved \ by \ Woody \ Evans, \ Director-Date: \ 10/04/2019 - Version: 4 \ Approved \ by \ Woody \ Evans, \ Director-Date: \ 10/04/2019 - Version: 4 \ Approved \ by \ Woody \ Evans, \ Director-Date: \ 10/04/2019 - Version: 4 \ Approved \ by \ Woody \ Evans, \ Director-Date: \ 10/04/2019 - Version: 4 \ Approved \ Barrier \ Bar$ 

Page 1 of 9



PRECAUTIONARY STATEMENTS: P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with

water/shower.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with

local/regional/national/international

regulations.

CONTAINS: Eucalyptol

alpha-Pinene Camphor Natural beta-Pinene

beta-Caryophyllene

d-Limonene

### 3: COMPOSITION/INFORMATION ON INGREDIENTS

25-50% Eucalyptol		
CAS NUMBER: 470-82-6	EINECS: 207-431-5	
CLASSIFICATION:	Flam. Liq. 3, H226	
	Skin Sens. 1B, H317	
10-25% alpha-Pinene		
CAS NUMBER: 80-56-8	EINECS: 201-291-9	
CLASSIFICATION:	Flam. Liq. 3, H226	
	Asp. Tox. 1, H304	
	Aquatic Acute 1, H400	
	Aquatic Chronic 1, H410	
	Acute Tox. 4, H302	
	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
10-25% Camphor Natural		
CAS NUMBER: 76-22-2	EINECS:200-945-0	
CLASSIFICATION:	Flam. Sol. 2, H228	
	STOT SE 2, H371	
	Acute Tox. 4, H302	
	Acute Tox. 4, H332	
2.5-10% beta-Pinene		
CAS NUMBER: 127-91-3	EINECS: 204-872-5	
CLASSIFICATION:	Flam. Liq. 3, H226	
	Asp. Tox. 1, H304	
	Aquatic Acute 1, H400	
	Aquatic Chronic 1, H410	
	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	



2.5 - 10% camphene	* * *
CAS NUMBER: 79-92-5	EINECS:201-872-5
CLASSIFICATION:	Flam. Sol. 1, H228
	Aquatic Acute 1, H400
	Aquatic Chronic 1, H410
	Eye Irrit. 2, H319
2.5-10% beta-Caryophyllene	
CAS NUMBER: 87-44-5	EINECS:201-746-1
CLASSIFICATION:	Asp. Tox. 1, H304
	Skin Sens. 1B, H317
2.5 - 10% Borneol	
CAS NUMBER: 507-70-0	EINECS: 208-080-0
CLASSIFICATION:	Flam. Sol. 2, H228
≤2.5% d-Limonene	
CAS NUMBER: 68647-72-3	EINECS: 227-813-5
CLASSIFICATION:	Flam. Liq. 3, H226
	Asp. Tox. 1, H304
	Aquatic Acute 1, H400
	Aquatic Chronic 1, H410
	Skin Irrit. 2, H315
	Skin Sens. 1, H317
≤2.5% alpha-Terpineol	
CAS NUMBER: 98-55-5	EINECS: 202-680-6
CLASSIFICATION:	Skin Irrit. 2, H315
	Eye Irrit. 2, H319
≤2.5% Myrcene	
CAS NUMBER: 123-35-5	EINECS: 204-622-5
CLASSIFICATION:	Flam. Liq. 3, H226
	Asp. Tox. 1, H304
	Aquatic Acute 1, H400
	Aquatic Chronic 2, H411
	Skin Irrit. 2, H315
≤2.5% p-cymene	
CAS NUMBER: 99-87-6	EINECS:202-796-7
CLASSIFICATION:	Flam. Liq. 3, H226
	Asp. Tox. 1, H304
	Aquatic Chronic 2, H411
≤2.5% 4-allylveratrole (methyl eugen	ol natural)
CAS NUMBER: 93-15-2	EINECS: 202-223-0
CLASSIFICATION:	Muta. 2, H341
	Carc. 2, H351
	Acute Tox. 4, H302

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.



#### **4: FIRST AID MEASURES**

INHALATION: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient in recovery position for

transportation, supply fresh air.

INGESTION: Inform doctor. Do not give milk or fatty oils.

Immediately wash with water and soap and rinse thoroughly. SKIN CONTACT:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

**EYE CONTACT:** Rinse opened eye for several minutes under running water.

No further relevant information. **GENERAL INFORMATION:** No further relevant information. NOTES FOR THE DOCTOR:

**5: FIREFIGHTING MEASURES** 

CO2, powder or water spray. Fight larger fires with water spray or EXTINGUISHING MEDIA RECOMMENDED:

alcohol resistant foam.

Unsuitable Extinguishing Media: Water on full jet.

SPECIAL HAZARDS ARISING FROM THE Carbon monoxide (CO)

SUBSTANCE OR MIXTURE:

**EXTINGUISHING PROCEDURES:** No special measures needed

**6: ACCIDENTAL RELEASE MEASURES** 

WEAR PROTECTIVE EQUIPMENT. KEEP UNPROTECTED PERSONS AWAY. PERSONAL PRECAUTIONS: **ENVIRONMENT PRECAUTIONS:** 

Prevent seepage into sewage system, work pits and cellars.

Inform respective authorities in case of seepage into water course or

sewage system.

Do not allow to enter sewers/ surface or ground water.

Absorb with liquid-binding material (sand, diatomite, acid binders, **CLEANING UP METHODS FOR SPILLAGES:** 

universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

REFERENCE TO OTHER SECTIONS See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7: HANDLING AND STORAGE

**USAGE PRECAUTIONS:** Ensure good ventilation/exhaustion at the workplace.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Store only in unopened original receptacles. **STORAGE PRECAUTIONS:** 

Keep receptacle tightly sealed.

Store in the dark.



#### 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**CONTROL PARAMETERS:** 

Camphor Natural CAS: 76-22-2

WEL Short-term value: 19 mg/m³, 3 ppm

Long-term value: 13 mg/m³, 2 ppm

PROTECTIVE EQUIPMENT:





Appropriate engineering controls: No data available. Eye/face protection: Wear safety goggles.

HAND PROTECTION: Wear chemically resistant gloves.

OTHER SKIN AND BODY PROTECTION: Immediately remove all soiled and contaminated clothing

HYGIENE MEASURES: Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

RESPIRATORY PROTECTION: No data available.

#### 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid

COLOUR: Colourless to pale yellow

ODOUR: Characteristic

FLASH POINT °C: 47.3

SPECIFIC GRAVITY @ 20°C: 0.907 -0.920

SOLUBILITY IN WATER: Not miscible or difficult to mix

### **10: STABILITY AND REACTIVITY**

REACTIVITY: No further relevant information available.

DECOMPOSITION: No decomposition if used according to specifications.

POSSIBILITY OF HAZARDOUS REACTIONS No dangerous reactions known.

CONDITIONS TO AVOID

No further relevant information available.

No further relevant information available.

No further relevant information available.

No dangerous decomposition products known.



#### 11: TOXICOLOGICAL INFORMATION

EYE CONTACT: Based on available data, the classification criteria are not met.

SKIN CONTACT: Causes skin irritation

ACUTE TOXICITY: Based on available data, the classification criteria are not met.

LD/LC50 VALUES RELEVANT FOR CLASSIFICATION:

80-56-8 alpha-Pinene

ORAL LD 50: 3700mg/kg (Rat)

DERMAL LD 50: >5000mg/kg (Lap)

76-22-2 Camphor Natural

ORAL LD 50 1310mg/kg (Rat)

79-92-5 camphene

ORAL LD 50 >5000mg/kg (Rat)
DERMAL LD 50 >2500mg/kg (lap)

RESPIRATORY OR SKIN SENSITISATION: May cause an allergic skin reaction.

GERM CELL MUTAGENICITY:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT-SINGLE EXPOSURE: May cause damage to organs

STOT-REPEATED EXPOSURE: Based on available data, the classification criteria are not met.

ASPIRATION HAZARD: May be fatal if swallowed and enters airways.

12: ECOLOGICAL INFORMATION

ECOTOXICITY: Very toxic for fish

Toxic for fish

PERSISTENCE AND DEGRADABILITY: No further relevant information available.

BIOACCUMULATIVE POTENTIAL: No further relevant information available.

MOBILITY IN SOIL: No further relevant information available.

RESULTS OF PBT AND VPVB ASSESSMENT: n/a

PRECAUTIONS: Do not allow product to reach ground water, water course or

sewage system, even in small quantities.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms Toxic for aquatic organisms

**13: DISPOSAL CONSIDERATIONS** 

DISPOSAL METHODS: Must not be disposed together with household garbage.

Do not allow product to reach sewage system.

Disposal must be made according to official regulations.



### **14: TRANSPORT INFORMATION**

 UN No. ROAD:
 UN1169

 UN No. SEA:
 UN1169

 UN No. AIR:
 UN1169

**UN PROPER SHIPPING NAME:** 

ADR 1169 EXTRACTS, AROMATIC, LIQUID

IMDG EXTRACTS, AROMATIC, LIQUID (camphene, DIPENTENE), MARINE

**POLLUTANT** 

IATA EXTRACTS, AROMATIC, LIQUID

TRANSPORT HAZARD CLASS(ES): 3



PACKING GROUP: III

ENVIRONMENTALLY HAZARDOUS Product contains

SUBSTANCE/MARINE POLLUTANT: environmentally hazardous

substances: camphene

Marine pollutant.



SPECIAL PRECAUTIONS FOR THE USER: WARNING: Flammable Liquids.

DANGER CODE (KEMLER): 30

EMS NUMBER: F-E, S-D

STOWAGE CATEGORY: A

TRANSPORT IN BULK ACCORDING TO ANNEX II n/a

OF MARPOL73/78 AND THE IBC CODE: TRANSPORT/ADDITIONAL INFORMATION:

ADR

-LIMITED QUANTITIES (LQ): 5L
-EXCEPTED QUANTITIES (EQ): Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

-Transport category 3 -Tunnel restriction code D/E

**IMDG** 

-LIMITED QUANTITIES (LQ): 5L
-EXCEPTED QUANTITIES (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "MODEL REGULATION": UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III



#### **15: REGULATORY INFORMATION**

EU LEGISLATION: Directive 2012/18/EU

Named dangerous substances - ANNEX I Substance is not listed.

Seveso category

E1 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier

requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier

requirements 200 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of

restriction: 3, 40

CHEMICAL SAFETY ASSESSMENT: A Chemical Safety Assessment has been carried out.

#### **16: OTHER INFORMATION**

HAZARD PHRASES IN FULL H226 Flammable liquid and vapour.

H228 Flammable solid. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer. H371 May cause damage to organs. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

ABBREVIATIONS AND ACRONYMS: ADR: Accord européen sur le transport des marchandises dangereuses

par Route (European Agreement concerning the International Carriage

of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of

Chemicals

EINECS: European Inventory of Existing Commercial Chemical

Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical

Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Lig. 3: Flammable liquids – Category 3

SDS: 45 Rosemary Essential oil.

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director - Date: 10/04/2019 - Version: 4



Flam. Sol. 1: Flammable solids – Category 1 Flam. Sol. 2: Flammable solids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Muta. 2: Germ cell mutagenicity – Category 2

Carc. 2: Carcinogenicity - Category 2

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute

aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term

aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term

aquatic hazard - Category 2

#### Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.